



Coronavirus (COVID-19) Risk Assessment

Produced for childcare settings in England and Wales by



Updated December 2020



Coronavirus (COVID-19) Risk Assessment

This risk assessment template will help you identify potential risks associated with coronavirus (COVID-19). Our main aim is to make childcare settings as safe as possible for children, staff and families, so we've come up with some areas for you to look at to help you assess risk in your settings, based on government guidance. This guidance may change or differ locally. Make sure you are up to date with current advice.

This example is designed to help early years and childcare providers, both group and home-based settings, carry out a risk assessment. You should write your own risk assessment, taking into account the needs of your particular childcare setting and the families you work with. There is a blank template available. Review your risk assessment and your <u>risk assessment policy</u> (in England) or <u>policy guidance</u> (in Wales) regularly.

- Take a whole setting approach and consider the risks and the measures you plan to put in place from a child's point of view, as well as from staff and parents' points of view.
- Regularly reassess the risks in light of updates to government guidance and any changes at your setting. For example, reassess if you, a family member (for home-based settings), a staff member, a child in your care, or someone in one of their families with becomes unwell with coronavirus symptoms. Or other changes such as a child leaving or joining your setting or moving to a different developmental stage, for example crawling or walking.
- Make a note of what's working well and what people (adults or children) are struggling with. Be confident to introduce new routines and any changes needed to keep you, your family and the children and families you work with safe.

The risk for all of the hazards mentioned is becoming infected with coronavirus. Everyone that comes to your setting is at risk. Although some people are more at risk than others. Check the NHS guidance if you are concerned about which families are safe to return to your setting.

If your setting has been closed for an extended period of time, consider the other risks associated with reopening, for example ensuring that your water supply has been adequately cleaned and disinfected to minimise the risk of legionella and that your fire alarm systems are functioning correctly.



Useful links

PACEY Re-Opening Toolkit For Early Years Settings

English government guidance

Actions for early years and childcare providers during the coronavirus (Covid-19) outbreak

Safe Working in Education, Childcare and Children's Social Care Settings, Including the Use of Personal Protective Equipment (PPE) updated 16

June 2020.

Welsh government guidance

Welsh government guidance is listed on this web page.

Health Protection Team Infection Prevention and Control Guidance (2019) for Childcare Settings (0-5 years) in Wales

Remember to check frequently for any updates to this government guidance. Also check any guidance that comes from your local authority as this may differ from national guidance.

This risk assessment is outlined in the order shown in <u>Safe Working in Education Childcare and Children's Social Care Settings</u>. (Please note: This document is applicable to England only):

- 1. Minimise contact with individuals who are unwell.
- 2. Clean your hands often.
- 3. Maintain respiratory hygiene (catch it, bin it, kill it).
- 4. Clean surfaces that are touched frequently.
- 5. Minimise contact and mixing.
- 6. Personal protective equipment (PPE).

- 7. Keep occupied spaces well ventilated
- 8. Engage with NHS Track and Trace.
- 9. Manage confirmed cases of coronavirus (COVID-19) amongst the setting community.
- 10. Contain any outbreak by following local health protection team advice.



Change the date to keep a record of when you update your own risk assessment.

1. Minim	ise contact with individuals	s who are unwell.		
Date	Identify Hazards	What can be done to remove or lessen the risk?	Action To Take (mark when done)	Recheck: when and how
23/09/20	 I, someone in my family or a staff member is unwell with symptoms of coronavirus (a new continuous cough or sudden loss or change of sense of taste or smell, or a sudden high fever). A child comes to the setting with symptoms of coronavirus. Someone in the child's family has symptoms of coronavirus. 	 If I have, or am showing symptoms of, coronavirus, I will stay at home in line the guidance for households with possible coronavirus infection (England) or stay at home guidance (Wales). If there are no qualified staff to run the setting in my absence, this will mean that the setting will close. The setting will stay closed until I have had a negative test or reached the end of the isolation period. If a child or member of the child's family shows symptoms of coronavirus, they too should stay at home until having a negative test or the end of the isolation period. 	 Ask parents to provide regular updates on the health of their family/household Review illness and infectious diseases policy (England) or policy guidance (Wales) and share with parents. Read PACEY's Symptoms and Illnesses. Things to Consider. Review contract or create a new one with parents. 	Daily check in with families as they arrive at the setting.



23/09/20	I, a staff member or child in my care becomes unwell with symptoms of coronavirus, while we are together. Professional Childcare Childcare	 Identify a separate space for children or adults who become unwell while at the setting, until they can go home. Make sure there is cleaning equipment and personal protective equipment available within easy reach of this area. A fluid-resistant surgical face mask should be worn by the supervising adult if a distance of 2 metres cannot be maintained, as well as other personal protective equipment if contact is necessary. The area should be thoroughly cleaned after use. 	 Consider how I will keep a child that becomes unwell and the other children safe if a separate space is not possible. Check stocks of cleaning equipment and personal protective equipment. Update illness policy to include an agreement with parents that they will be able to pick up children immediately, if needed. 	Recheck weekly or after someone has become ill in my setting.
----------	--	---	---	---



2. Clean y	2. Clean your hands often.					
Date	Identify Hazards	What can be done to remove or lessen the risk?	Action To Take (mark when done)	Recheck: when and how		
23/09/20	• Infection spreads easily from unclean hands. profession childcare	 Clean my hands more often than usual, particularly before starting work, touching my face, blowing my nose, sneezing or coughing, and before eating or handling food. Encourage staff and children to wash their hands more often too. To clean my hands I, any staff members and the children will wash our hands thoroughly for 20 seconds with soap and running water and dry them thoroughly, or use alcohol-based hand sanitizer, ensuring that all parts of the hands are covered. 	 Check stocks of soap and handwash as well as paper towels for drying Check stocks of hand sanitiser Practice handwashing routines with the children Implement any new handwashing routines, for example, on arrival at the setting Complete and ensure all staff have completed relevant training for example, EY smart handwashing course. I/we must ensure that children clean their hands regularly, including: when they arrive at the setting when they return from breaks when they change rooms before and after eating Before and after messy play 	Regularly throughout the day		



Date	Identify Hazards	What can be done to remove or lessen the risk?	Action To Take (mark when done)	Recheck: when and how
23/09/20	Coronavirus can be transmitted by being in close contact with those sneezing or coughing. Professional Children Childre	I will ensure the children follow these instructions: Avoid touching your mouth, eyes and nose. Cover your mouth and nose with disposable tissues when you cough or sneeze. If one is not available, sneeze into the crook of your elbow, not into your hand. Dispose of tissues into a disposable rubbish bag and immediately wash your hands with soap and water or use a hand sanitiser.	 Use the resources on e-Bug to help children understand about coronavirus. If someone is sneezing or coughing, check to see if they have other possible coronavirus symptoms. Ensure a good supply of disposable tissues. 	• Daily



Date	Identify Hazards	What can be done to remove or lessen the risk?	Action To Take (mark when done)	Recheck: when and how
23/09/20	Coronavirus can be transmitted on frequently touched surfaces Professi childcan	 Frequently-touched surfaces, such as door handles, handrails, table tops, play equipment, toys, devices (e.g. phones, iPads) will be cleaned often. When cleaning, I will use the usual products, like detergents and bleach, as these are very effective at getting rid of the virus on surfaces. Review activities and materials that involve malleable materials for messy play such as sand, mud and waterRegular hand washing I will follow the Public Health England (PHE) guidance on cleaning for non-healthcare settings and any Wales-specific guidance (if you live in Wales) 	 Review cleaning plan - how often cleaning is carried out and what needs cleaning most often. Where possible, remove anything that is difficult to clean, for example soft toys and furnishings. Ask children not to bring own toys into setting, unless necessary. Ensure the number of children accessing messy play is small and consistent. Ensure the messy play materials are cleaned and replaced Consider how to manage food brought from home. Double bag any potentially contaminated waste and identify where it can be stored for 72 hours or until the individual tests negative. 	Before the setting opens to children and at the end of the day







5. Minimise contact and mixing.						
Date	Identify Hazards	What can be done to remove or lessen the risk?	Action To Take (mark when done)	Recheck: when and how		
23/09/20	There are more people involved in drop off and pick up times, therefore increasing the risk of passing on infection Profession Childcare	 These are some suggestions to consider: Stagger drop off and pick up times for families with a waiting area outside if possible Not allowing parents into the setting Only one parent at a time to drop off or pick up Parents not to gather outside Guidance states that parents / carers are allowed in my setting to help new children to settle. Things to consider include; Asking parents to wear face coverings, if required, in line with arrangements for staff and other visitors to the setting stay for a limited amount of time (ideally not more than an hour) avoid close contact with other children 	 Give families a specific pick up and drop off time. Make sure they know where to wait if they need to Ask parents not to come into the setting and to make an appointment if they need to talk face to face Use digital methods to communicate any handover information with parents Phone, text or email parents with new arrangements and put a letter into each child's bag Talk to parents about ways to settle children in who may be anxious after a long absence, including how to safely come into the setting if needed Review fire safety policy Read PACEY's <u>Drop Offs and Pick Ups Things to Consider</u> 	Check in with parents weekly to see if it's working or if they need a different time		



23/09/20	•	Children playing together - some level of contact and mixing is inevitable in early years.
	•	During meal and snack times, children may sit close

together.

- Children to only attend one setting where possible and be in small groups during the day.
- Although the Rule of 6 does not apply for the purpose of education or childcare, it is important to ensure that the risk is minimised
- As much as possible, I will:
- Alter the environment of my setting to minimise contact and mixing.
- Try to have consistent groups of children on the same days.
- Make the most of any outdoor space but continue to keep any fire doors closed inside.
- Space children out during meal times, either by staggering groups (cleaning in between) or by spreading the chairs further apart.

- Make a consistent plan with families about which children come on which days.
- Look at the space in the setting to see if anything can be rearranged to create different areas for the children to play in.
- Review garden and outdoor space to see how it can be maximised for safe play.
- Decide how close together children will be during meal times and modify the space or times the children eat.
- I will ensure that if my setting has more than 6 people outside, I will conduct a risk assessment, remain within my ratio, social distancing is achieved where possible and thorough hand washing happens before and after the trip.
- Talk to parents about any necessary wraparound care arrangements to avoid me or a staff member being in the same vehicle as a group of children.
- Make a plan to best support the needs of children with SEND, vulnerable and disadvantaged children.

- Check timetable for which children on which days weekly
- Review play space regularly throughout the day



6. Personal protective equipment (PPE).					
Date	Identify Hazards	What can be done to remove or lessen the risk?	Action To Take (mark when done)	Recheck: when and how	
23/09/20	 PPE should not be used for children under 3 in any circumstances. PPE only used in case a child becomes unwell in my setting with coronavirus symptoms and I or a staff member can't stay two metres away. Some staff members who are able to work may have increased risk factors (as set out in the COVID-19: review of disparities in risks and outcomes report.) These staff may choose to use PPE more frequently in the setting. 	 The majority of staff in education, childcare and children's social care settings will not require PPE beyond what they would normally need for their work, even if they are not always able to maintain distance of two metres from others. PPE is only needed in a very small number of cases: children, young people and learners whose care routinely already involves the use of PPE due to their intimate care needs should continue to receive their care in the same way. PPE should be worn if a distance of two metres cannot be maintained from any child, young person or other learner displaying coronavirus symptoms 	 Make sure a supply of PPE is available for when it might be needed, taking note of this advice: Use your local supply chains to obtain PPE. Where this is not possible, and there is unmet urgent need for PPE in order to operate safely, approach your nearest local resilience forum. PPE to be used as usual when changing nappies or carrying out intimate care needs. Make sure PPE and face coverings are disposed of safely. This includes cleaning of hands before and after touching and the safe storage of them in individual, sealable plastic bags. 	Daily	



7. Eng	age with NHS Track and Tr	ace.		
Date	Identify Hazards	What can be done to remove or lessen the risk?	Action To Take (mark when done)	Recheck: when and how
23/09/20	I, anyone in my family, staff member or anyone visiting the setting who displays symptoms of coronavirus (COVID-19) can and should get a test. Orofessi Childcare	 Remind the person with symptoms that they should remain at home until either they test negative, and they feel well and no longer have symptoms similar to coronavirus (COVID-19), at which point they can stop self-isolating. Book a test as quickly as possible, either online through the NHS website, or by telephone via NHS 119. 	 Anyone displaying symptoms - staff or children - must not come into the setting, and must be sent home to self-isolate if they develop symptoms in the setting. I will support children or staff to self-isolate if they have been in close contact with someone who tests positive for coronavirus (COVID-19) or if they test positive for coronavirus (COVID-19) Make available the details of anyone they have been in close contact with if they were to test positive for coronavirus (COVID-19) or if asked by NHS Test and Trace Contact the Department for Education (DfE) helpline¹ to notify them on 0800 046 8687 if the advice from the local health protection team is to close the setting. 	Whenever I, anyone in my family, staff member or anyone visiting the setting displays symptoms of coronavirus.

¹ England only



Date	Identify Hazards	What can be done to remove or lessen the risk?	Action To Take (mark when done)	Recheck: when and how
23/09/20	 Someone in the setting may inadvertently spread the virus to close contacts before becoming symptomatic Close contact means: Direct close contacts - face to face contact with an infected individual for any length of time, within 1 metre, including being coughed on, a face to face conversation, or unprotected physical contact (skin to skin). Proximity contacts - Extended close contact (within 1-2m for more than 15 minutes) with an infected individual. Travelling in a small vehicle, like a car, with an infected person 	 Follow procedures and plans to deal with symptomatic people. If we become aware that someone who has attended has tested positive for coronavirus (COVID-19) we will contact the local health protection team. This team will also contact settings directly if they become aware that someone who has tested positive for coronavirus (COVID-19) attended the setting – as identified by NHS Test and Trace. Keep a record of: children and staff in specific groups/rooms (where applicable) and close contact that takes places between children and staff in different groups/rooms. This should be a proportionate recording process. 	 I will send home those people who have been in close contact with the person who has tested positive, advising them to self-isolate for 10 days since they were last in close contact with that person when they were infectious. Acting on the advice from the health protection team, I will send home those people who have been in close contact with the person who has tested positive, advising them to self-isolate for 10 days since they were last in close contact with that person when they were infectious. Ensure that records are kept accurately. These should cover: children and staff in specific groups/rooms (where applicable) and close contact that takes places between children and staff in different groups/rooms. 	



		 Cooperate with the local health protection team to confirm who has been in close contact with the person during the period that they were infectious, and ensure they are asked to self-isolate. Share the template letter provided by and on the advice of the health protection team, to send to parents and staff if needed. I will not share the names or details of people with coronavirus (COVID-19) unless it is essential to protect others. 	I will notify Ofsted immediately if there are any confirmed cases in the setting and/or if the setting should be closed as a result.	
9/10 Cont	Identify Hazards	wing DfE and/or local he What can be done to remove or lessen the risk?	Action To Take (mark when done)	Recheck: when and how
23/09/20	An outbreak of COVID-19 in the setting. This may be declared if there are two or more confirmed cases within 14 days, or an overall rise in sickness absence where coronavirus (COVID-19) is suspected.	 Follow the prevention steps previously identified. Follow health protection team recommendations if a larger number of other children are required to self-isolate at home as a 	I will contact the DfE's helpline if someone in my setting or household has tested positive for Coronavirus and I will then be directed to the dedicated NHS	Whenever two or more confirmed cases arise within 14 days.



	precautionary measure – perhaps the whole site or a group.	 advice team for settings with confirmed cases. This new service can be reached by called DfE's existing helpline on 0800 046 8687 and selecting the option for reporting a positive case (option 1). The line is open Monday to Friday from 8am to 6pm, and 10am to 4pm on Saturdays and Sundays. The DfE advice service will inform what action is needed based on the latest public health advice, and work through a risk assessment to identify close contacts. 	
profession	nalassocia	Only close the whole setting on the advice of health protection teams	<i>y</i>

